



# Triona Auto Maintenance Equipment - Price List

No.	Name	Picture	Model	Specifications	Price(EUR) EXW	Remark
			TR-QJJ30D-2	Rated load: 3000kg Max lifting height: 1800mm Min height from pad to ground: 140mm Raising time: ≤70S Lowering time: ≤60S Motor power: ABB motors 3kw Noise level: <=80dB(A) Working voltage: 380V 50HZ Outside size: 1400 x 3160 x 2556mm	2360.00	
			2 Post	TR-QJY30D-1  CE certificate Technical data: Lifting capacity: 3000KGS Lifting height: 1800mm Min.height: 120mm Raising time: <=70s Lowering time: <=60s Drive-thru distance: 2832mm Net weight: 750kg Motor power: 2.2kw Power supply: 380V, 220V	2232.00	
			TR-QJY30D-2	TR-QJY35M-1  Lifting capacity: 3500kg Lifting height: 1800mm Min. height: 140mm Raising time: <= 85s Lowering time: <=75s Drive-thru distance: 2916mm Net weight: 800Kg Motor power: 2.2kw Power supply: 380v, 220v	1423.00	
			TR-QJY35M-2	TR-QJY40MZ-1  Lifting capacity: 4,000kg Lifting height: 1,800mm Min. height: 140mm Raising time: <85s Lowering time: <75s Drive-thru distance: 2,916mm	2123.00	
					1400.00	
					2185.00	

   	<b>4-Post</b>		<b>TR-QJY40MZ-2</b>	<b>Drive-thru distance: 2,900mm</b> <b>Motor power: 2.2KW/3KW</b> <b>Power supply: 380V, 220V</b> <b>Net weight: 800KG</b> <b>a) ZY-QJY40MZ-1 with Italian pump station</b> <b>b) ZY-QJY40MZ-2 with Chinese pump station</b>	<b>2120.00</b>	
			<b>TR-QJY35F-1</b>	<b>Lifting capacity 3500Kg</b> <b>Raising time &lt;= 70s</b> <b>Lowering time &lt;= 60s</b> <b>Lifting height: 1600mm</b> <b>Min. height: 190mm</b> <b>Motor power: 2.2KW</b> <b>Drive-thru distance: 2650mm</b> <b>Net weight: 850Kg</b> <b>Power supply: 380v,220v</b> <b>Control voltage: 220V</b> <b>a) ZY-QJY35F-1 with Italian pump station</b> <b>b) ZY-QJY35F-2 with Chinese pump station</b>	<b>2640.00</b>	
			<b>TR-QJY35F-2</b>		<b>2150.00</b>	
			<b>TR-QJY40FA-1</b>	<b>Lifting capacity:4000kg</b> <b>Secondary lifting capacity:2000kg</b> <b>First lifting height:1550mm</b> <b>Secondary lifting height:300mm</b> <b>Min.height: 255mm</b> <b>Drive-thru distance:2900mm</b> <b>Net weight: 1300kg</b> <b>First raising time: &lt;80s</b> <b>First lowering time: &lt;70s</b> <b>Secondary rasing time: &lt;30s</b> <b>Secondary lowering time: &lt;30s</b> <b>Moter power: 3kw/2.2kw</b> <b>Power supply: 380V/220V</b>	<b>3900.00</b>	
			<b>TR-QJY40FA-2</b>		<b>3490.00</b>	
			<b>TR-QJY40FB-1</b>	<b>Lifting capacity: 3500kg</b> <b>Total lifting height: 2000mm</b> <b>First lifting height: 1550mm</b> <b>Secondary lifting height: 350mm</b> <b>Min. height: 200mm</b> <b>First raising time: 50-80s</b> <b>First lowering time: 48-58s</b> <b>Secondary raising time: 10-20s</b> <b>Secondary lowering time: 11-25s</b> <b>Drive-thru distance: 2900mm</b> <b>Net weight: 1350Kg</b> <b>Motor power: 2.2kw/3kw</b> <b>Power supply: 380v, 220v</b>	<b>3603.00</b>	
			<b>TR-QJY40FB-2</b>		<b>3185.00</b>	

	Portable Scissor Car Lift	TR-QJY2.8S	Lifting capacity 2700Kg Platform length: 1750mm-2000mm Platform width: 1003mm-1400mm Lifting height 1200mm Min. height 110mm Net weight 360Kg Motor power 2.2KW Power supply 380V,220V,110V	1879.00	
	Scissor Lift	TR-QJY30S-1	Lifting capacity: 3000Kg Lifting height: 1600mm Platform Length: 1540-1640mm Raising time: <66s Lowering time: <45s Net weight: 850Kg Motor power: 2.2KW Power supply: 380v,220v a) ZY-QJY30S-1 with Italian pump station b) ZY-QJY30S-2 with Chinese pump station	2938.00	
		TR-QJY30S-2		2525.00	
		TR-QJY35S-1	Lifting capacity 3500Kg Secondary lifting capacity 3000Kg First lifting height 1960mm Secondary lifting height 450mm Min. height 330mm Net weight 1500Kg First raising time <60s First lowering time <50s Secondary raising time <30s Secondary lowering time <50s Motor power 3KW/2.2KW Power supply 380v,220v a) ZY-QJY35SA-1 with Italian pump station b) ZY-QJY35SA-2 with Chinese pump station	3807.00	
		TR-QJY35S-2		3394.00	
		TR-QJY35SA-1	Lifting capacity 3500Kg Secondary lifting capacity 3000Kg First lifting height 1600mm Secondary lifting height 450mm Min. height 330mm Net weight 1500Kg First raising time <60s	4197.00	



TR-QJY35SA-2

First lowering time <50s  
Secondary raising time <30s  
Secondary lowering time <50s  
Motor power 3KW/2.2KW  
Power supply 380v,220v  
a) ZY-QJY35SA-1 with Italian pump station  
b) ZY-QJY35SA-2 with Chinese pump station

3784.00

**CONTACT**

***triona.aleksei@gmail.com***